

# The Gazette



सत्यमेव जयते

## of India

No. 16 ]

**NEW DELHI, SATURDAY, APRIL 28, 1956**

## OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 31st March, 1956

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.
<b>STATES PART (A) &amp; PART (C)</b>								<b>Assam—contd.</b>							
<b>Ajmer</b>								(Estd. mid-year pop. 9,817 thousands.)							
TOTAL	..	..	..	..	..	..	..	Total for w/e 24-3-56	..	..	1	2	..	..	..
(Estd. mid-year pop. 752 thousands.)								Total for w/e 17-3-56	..	..	1	2	..	..	..
Total for w/e 24-3-56	..	..	..	..	..	..	..	7-yearly mean for the week	..	..	3	..	..	..	..
Total for w/e 17-3-56	..	..	..	..	..	..	..								
7-yearly mean for the week	..	..	..	..	..	..	..	<b>Bhopal</b>							
								TOTAL	..	..	62	16	..	..	
<b>Andhra</b>								(Estd. mid-year pop. 867 thousands.)							
Srikakulam	..	..	..	3	1	..	..	Total for w/e 24-3-56	..	..	33	9	..	..	
Visakhapatnam	..	..	..	6	2	..	..	Total for w/e 17-3-56	..	..	10	1	..	..	
Godavari East	..	..	..	70	29	..	..	7 Yearly mean for the week	..	..	2	2	..	..	
Godavari West	..	..	..	27	4	..	..	<b>Bihar</b>							
Krishna	..	..	..	34	3	..	..	<b>N. R.</b>							
Guntur	..	..	..	52	13	..	..	<b>Bombay</b>							
Nellore	..	..	..	13	2	..	..	Greater Bombay	..	..	4	..	..	..	
Kurnool	..	..	86	44	2	..	..	Ahmedabad	..	..	12	9	..	..	
Cuddapah	..	..	13	6	..	..	..	Broach	..	..	8	3	..	..	
Anantapur	..	..	15	3	24	1	..	Surat	..	..	31	15	..	..	
Chittoor	..	..	7	1	18	3	..	Thana	..	..	11	2	..	..	
TOTAL	..	121	54	249	58	..	1	South Satara	..	..	7	..	..	..	
(Estd. mid-year pop. 21,238 thousands.)								Ahmednagar	..	..	14	1	..	..	
Total for w/e 24-3-56	197	103	338	60	..	..		East Khandesh	..	..	53	4	..	..	
Total for w/e 17-3-56	307	102	239	43	4	4		West Khandesh	..	..	43	..	..	..	
7-Yearly mean for the week	90	52	433	83	..	..		Poona	..	..	3	..	..	..	
<b>Assam</b>								Satara North							
Kamrup	..	..	..	2	1	..	..	Sholapur							
Nowgong	..	..	..	8	3	..	..				38	6	..	..	
TOTAL	..	..	..	10	4	..	..								

Explanation of Symbols used ; C-Cases; D-Deaths; "N.R." Information not received;..-Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 31st March, 1956—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.		D.		C.		D.		C.		D.		C.		D.	
Bombay— <i>contd.</i>								Madras							
Bijapur	1	1	11	..	..	..	..	Madras town	..	..	4	..	..	..	..
Mehsana	..	..	7	2	..	..	..	Chingleput	..	..	1	..	..	..	..
Banaskantha	..	..	13	2	..	..	..	North Arcot	..	..	5	3	..	..	..
TOTAL	4	1	265	45	..	..	..	Salem	..	..	1	..	..	..	..
(Estd. mid-year pop. 39,569 thousands.)								South Arcot	..	..	15	6	..	..	..
Total for w/e 24-3-56	..	..	275	66	..	..	..	Tiruchirappalli	..	..	5	..	..	..	..
Total for w/e 17-3-56	2	..	302	57	..	..	..	Ramnathapuram	..	..	7	..	..	..	..
7-yearly mean for the week	8	1	618	103	..	..	..	Tirunelveli	..	..	9	2	..	..	..
Coorg								Malabar	..	..	12	7	..	..	..
TOTAL	..	..	..	..	..	..	..	TOTAL							
(Estd. mid-year pop. 262 thousands.)								Estd. mid-year pop. 38,273 thousands.)							
Total for w/e 24-3-56	..	..	..	..	..	..	..	Total for w/e 24-3-56	..	..	51	19	..	..	..
Total for w/e 17-3-56	..	..	..	..	..	..	..	Total for w/e 17-3-56	..	..	57	18	..	..	..
7-yearly mean for the week	..	..	..	..	..	..	..	7-yearly mean for the week	181	94	163	31	..	..	..
Delhi								Manipur							
Delhi City	..	..	7	..	..	..	..	TOTAL							
New Delhi	..	..	2	..	..	..	..	Estd. mid-year pop. 613 thousands.)							
Delhi Notified Area	..	..	..	..	..	..	..	Total for w/e 24-3-56	..	..	..	3	..	..	..
TOTAL	..	..	9	..	..	..	..	Total for w/e 17-3-56	..	..	9	3	..	..	..
(Estd. mid-year pop. 1,744 thousands.)								Orissa							
Total for w/e 24-3-56	..	..	15	10	..	..	..	Cuttack	..	..	5	1	1	..	..
Total for w/e 17-3-56	..	..	13	5	..	..	..	Balasore	..	..	4	1	10	..	..
7-yearly mean for the week	..	..	5	2	..	..	..	Puri	..	..	1	..	1	..	..
Himachal Pradesh								Sambalpur	..	..	..	5	..	..	..
"N.R."								Dhenkanal	..	..	4	1	28	..	..
Madhya Pradesh								Bolangir Patna	..	..	..	13	..	..	..
"N.R."								Kalahandi	..	..	3	3	5	..	..
								TOTAL							
								Estd. mid-year pop. 15,114 thousands.)							
								Total for w/e 24-3-56	6	3	53	..	..	..	..
								Total for w/e 17-3-56	3	2	34	..	..	..	..
								7-yearly mean for the week	31	14	322	42	..	..	..

Explanation of Symbols used : C. = Cases ; D. = Deaths ; N.R. = Information not received .. = Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 31st March, 1956—*contd.*

CHOLERA				SMALLPOX				PLAGUE				CHOLERA			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
<b>Punjab (I)</b>								<b>Vindhya Pradesh</b>							
Hissar	..	..	5	2	..	..	..	"N.R."							
Rohtak	..	..	2	..	..	..	..	<b>West Bengal</b>							
Hoshiarpur	..	..	1	..	..	..	..	"N.R."							
Jullundur	..	..	7	..	..	..	..	<b>Grand Total for</b>							
TOTAL	..	..	15	2	..	..	..	<b>States Parts (A) &amp; (C)</b>							
(Estd. mid-year pop. 12,641 thousands.)								(excluding Bihar, Himachal Pradesh, Madhya Pradesh, & Vindhya Pradesh)							
Total for w/e 24-3-56	..	..	19	2	..	..	..	151	63	790	168	..	..	..	1
Total for w/e 17-3-56	..	..	16	4	..	..	..	<b>Corresponding (Estd. mid-year pop. 208,376 thousands.)</b>							
7-yearly mean for the week	..	..	18	5	..	..	..	"Total for w/e 24-3-56	204	106	849	201	..	..	..
<b>Tripura</b>								<b>"Total for w/e 17-3-56</b>							
TOTAL	1	..	..	..	..	..	..	<b>"7-yearly mean for the week</b>							
(Estd. mid-year pop. 706 thousands.)								. 352 178 1,709 305 130 36							
Total for w/e 24-3-56	..	1	..	..	..	..	..	<b>STATES PART (B)</b>							
Total for w/e 17-3-56	..	..	3	..	..	..	..	<b>Hyderabad</b>							
<b>Pondichery</b>								Aurangabad							
TOTAL	..	..	21	11	..	..	..	Raichur							
<b>Uttar Pradesh</b>								Mahbubnagar							
Dehra Dun	..	..	5	3	..	..	..	Khammam							
Mathura	..	..	4	1	..	..	..	TOTAL							
Kanpur	..	..	2	..	..	..	..	. 26 15 4 .. .. ..							
Allahabad	..	..	3	2	..	..	..	<b>Jammu and Kashmir</b>							
Jalaun	..	..	4	2	..	..	..	"N.R."							
Banaras	..	..	1	..	..	..	..	<b>Madhya Bharat</b>							
Gorakhpur	..	8	2	..	..	..	..	"N.R."							
Deoria	..	..	2	1	..	..	..	<b>Mysore,</b>							
Sitapur	..	..	1	..	..	..	..	Chikmagalur							
Kheri	..	..	1	1	..	..	..	Kolar							
Gonda	..	..	5	1	..	..	..	Chitaldrug							
Rampur	..	..	7	2	..	..	..	Bellary							
TOTAL	8	2	35	13	..	..	..	Shimoga							
(Estd. mid-year pop. 66,780 thousands.)								TOTAL							
Total for w/e 24-3-56	..	..	28	12	..	..	..	. 31 4 3 1							
Total for w/e 17-3-56	..	..	32	7	..	..	..	<b>Patiala &amp; East Punjab States Union</b>							
7-yearly mean for the week	42	17	145	37	130	36	..	TOTAL							
								. 1 .. .. ..							
								<b>Rajasthan</b>							
								"N.R."							

Explanation of Symbols used : C=Cases; D=Deaths; ..=Nil information; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 31st March, 1956—*contd.*

CHOLERA								SMALLPOX				PLAGUE				CHOLERA								SMALLPOX				PLAGUE											
—		C.		D.		C.		D.		C.		D.		—		C.		D.		C.		D.		C.		D.													
Saurashtra								Bihar																															
Gohilwad	.	.	..	..	..	3	..	..	w/e 10-3-56																														
Zalawad	.	.	..	..	3	1	.	..	Patna	.	.	..	..	21	7	..	..																						
TOTAL	.	..	..	3	4	..	..		Gaya	.	.	.	..	10	2	..	1																						
Travancore-Cochin																Monghyr								.	.	..	..	3	..	..	..								
TOTAL	.	.	..	..	11	4	..	..	Bhagalpur	.	.	..	..	8	1	..	..																						
Grand Total for States Part (B)	.	.	26	15	50	12	3	1	Purnea	.	.	..	..	9	3	..	..																						
Grand Total for States Parts (A), (B) and (C)	177	78	840	180	3	2			Manbhum	.	.	..	..	24	2	..	..																						
								TOTAL								.	..	..	75	15	..	..																	

## ARREAR INFORMATION

Madhya Pradesh								Bombay							
<i>w/e 24-3-56</i>								<i>w/e 24-3-56</i>							
Nagpur	..	..	..	38	6	..	..	Greater Bombay	..	..	..	3	2	..	..
Wardha	..	..	..	1	..	..	..	Ahmedabad	..	..	..	17	6	..	..
Chanda	..	..	..	13	..	..	..	Surat	..	..	..	50	25	..	..
Chhindwara	..	..	..	4	..	..	..	Ahmednager	..	..	..	2	1	..	..
Betul	..	..	..	48	2	..	..	East Khandesh	..	..	..	76	9	..	..
Jabalpur	..	..	..	28	4	..	..	West Khandesh	..	..	..	4	..	..	..
Bhaddra	..	..	..	5	4	..	..	Satara North	..	..	..	1	..	..	..
Sagar	..	..	..	50	24	..	..	Sholapur	..	..	..	26	5	..	..
Mandla	..	..	..	4	..	..	..	Bijapur	..	..	..	14	..	..	..
Hoshangabad	..	..	..	9	1	..	..	Baroda	..	..	..	17	5	..	..
Balghat	..	..	..	37	1	..	..	Mehsana	..	..	..	8	1	..	..
Raipur	..	..	1	2	..	..	..	Banaskantha	..	..	..	20	5	..	..
Bilaspur	..	..	..	6	..	..	..	Broach	..	..	..	30	2	..	..
Durg	..	..	..	6	..	..	..	Panch mehal	..	..	..	1	..	..	..
Amravati	..	..	..	9	1	..	..	Thana	..	..	..	6	..	..	..
Akola	..	..	..	113	23	..	..	TOTAL	..	..	..	375	66	..	..
Buldana	..	..	..	51	6	..	..	Bhopal							
TOTAL	1	1	424	68	..	..	..	<i>w/e 17-3-56</i>							
								TOTAL	..	..	..	10	1	..	..
								<i>w/e 24-3-56</i>							
								TOTAL	..	..	..	39	9	..	..

Explanation of Symbols used: C=Cases; D=Deaths; ..=Nil "N. R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 31st March, 1956—*concl'd.*

CHOLERA				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
<b>Vindhya Pradesh</b>						<b>Bihar</b>					
<i>w/s 17-3-56</i>						<i>w/s 17-3-56</i>					
TOTAL						Patna	19	3	..	..	..
						Gaya	10	..	..	..	..
						Bhagalpur	3	..	..	..	..
						Purnea	56	9	..	..	..
						Samtal Parganas	9	2	..	..	..
						Monbhum	1	28	2	..	..
TOTAL						TOTAL	1	124	16	..	..

Explanation of Symbols used: C.—Cases; D.—Deaths; "N.R."—Information not received.

NEW DELHI-2 (INDIA) ;

The 23rd April, 1956.

K. MITRA,  
for Registrar General, India.

## Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

*and help India's*

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

**YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX**

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

**INVEST IN INDIA'S FUTURE**

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 31st March, 1956

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	Deaths from :—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D					
STATES—(Parts A and C)															
Ajmer															
Ajmer	223	74	17.3	..	..	..	8	1	9	..	27	6.3	6		
Beawar	59	17	15.0	..	..	..	6	..	3	1	11	9.7	3		
TOTAL	282	91	16.8	..	..	..	14	1	12	1	38	7.0	9		
Andhra															
Adoni	63	51	42.1	..	..	..	..	..	7	..	18	14.9	4		
Anantpur	38	56	76.6	..	..	..	..	..	2	..	14	19.2	1		
Anakapalli	46	25	28.3	..	..	..	1	..	3	1	19	21.5	6		
Bhimavaram	36	31	44.8	..	..	..	2	..	..	..	7	10.1	5		
Chirala	43	39	47.2	..	..	..	5	..	1	..	13	15.7	7		
Chittoor†															
Cuddapah	42	34	42.1	..	..	..	2	..	3	2	16	19.8	3		
Eluru	99	59	31.0	..	2	..	4	..	1	..	17	8.9	2		
Gudivada	36	41	59.2	..	..	..	2	..	..	..	5	7.2	1		
Guntur†	147	92	32.6	..	2	..	..	5	7	1	42	14.9	6		
Guntakal	37	23	32.3	..	..	..	3	1	..	..	12	16.9	3		
Kakinada	113	42	19.3	..	19	..	4	..	3	..	47	21.6	5		
Kurnool	68	85	65.0	..	2	..	2	5	6	..	28	21.4	2		
Masulipatnam	88	70	41.4	..	..	..	2	..	2	..	20	11.8	6		
Nandyal†															
Nellore	95	95	52.0	..	..	..	7	7	5	..	67	36.6	7		
Proddatur	42	31	38.4	..	..	..	2	2	..	..	12	14.9	4		
Rajahmundry	122	86	36.6	..	2	..	13	1	..	..	52	22.2	11		
Tenali	67	38	29.5	..	..	..	..	1	1	..	13	10.1	4		
Vijayawada	201	186	48.2	..	3	..	8	1	7	..	47	12.2	12		
Visakhapatnam	128	55	22.3	..	1	..	16	1	27	..	78	31.7	18		
Vizianagaram	75	42	29.1	..	..	..	2	1	1	..	21	14.6	8		
TOTAL	1,586	1,181	38.7	..	31	..	75	25	76	4	548	18.0	115		
Assam															
Shillong†															
Gauhati	51	10	10.2	..	..	..	8	..	..	..	16	16.3	..		
Dibrugarh	46	1	1.1	..	..	..	..	..	..	..	1	1.1	..		
Silchar†															
TOTAL	97	11	5.9	..	..	..	8	..	..	..	17	9.1	..		
Bhopal															
Bhopal City	116	48	21.5	..	..	..	..	..	..	..	4	1.8	..		
Bihar	}														
Bombay															
"N. R."															
Delhi State:—															
Delhi City	1124	425	19.7	..	..	..	39	2	22	..	115	5.3	32		
New Delhi	374	184	25.6	..	..	..	4	2	..	..	33	4.6	3		
NAC Civil Station,															
Delhi	117	54	24.0	..	1	..	1	1	3	..	8	3.6	4		
Delhi Cantt	50	30	31.2	..	..	..	..	..	..	..	1	1.0	..		
Delhi-Shahdra	53	35	34.3	..	..	..	3	1	..	..	4	3.9	2		
TOTAL	1,718	728	22.0	..	1	..	47	6	25	..	161	4.9	41		

\*In cases of towns where there has been an abnormal movement of population, it is likely that the Population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Birth ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information. "N. R."—Information not received.

births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 31st March, 1956—*contd.*

## Deaths from—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madhya Pradesh		"N.R."											
Madras													
Ambur . . . . .	44	40	47.3	..	..	..	1	..	5	..	7	8.3	2
Aruppukottai . . . . .	56	30	27.9	..	..	..	6	4	2	..	16	14.9	3
Bodinayakanur . . . . .	40	28	36.4	..	..	..	..	2	1	..	5	6.5	1
Cannanore . . . . .	47	25	27.7	..	..	..	1	..	5	..	17	18.8	3
Chidambaram . . . . .	39	28	37.3	..	..	..	1	2	2	2	20	26.7	2
Coimbatore . . . . .	234	175	39.9	..	..	..	2	11	17	..	84	18.7	20
Cuddalore . . . . .	74	97	70.1	..	..	..	2	1	6	1	37	26.7	13
Dindigul . . . . .	90	88	50.8	..	..	..	..	3	1	..	17	9.8	4
Erode . . . . .	67	53	41.1	..	..	..	..	2	1	1	15	11.6	2
Gobichetty Palayam . . . . .	38	31	42.4	..	..	..	..	..	1	..	6	8.2	2
Guddiyattam . . . . .	53	44	43.2	..	..	..	..	..	2	2	14	13.7	5
Kancheepuram . . . . .	90	86	49.7	..	..	..	2	2	10	1	28	16.2	4
Karaikudi . . . . .	44	42	49.6	..	..	..	1	..	2	..	8	9.5	1
Karur† . . . . .	176	147	43.4	..	..	..	3	..	11	..	82	24.2	18
Kozhikode . . . . .	176	147	43.4	..	..	..	3	..	11	..	82	24.2	18
Kumbakonam . . . . .	105	155	76.8	..	..	..	1	..	3	1	23	11.4	5
Madras . . . . .	1703	1125	34.3	..	..	..	67	92	146	3	596	18.2	173
Mangalore . . . . .	136	102	39.0	..	..	..	2	1	10	..	40	15.3	2
Mathurai . . . . .	427	326	39.7	..	..	..	4	6	44	2	139	16.9	34
Mayuram† . . . . .	41	34	43.1	..	..	..	2	..	1	..	8	10.1	..
Melapalayam . . . . .	41	34	43.1	..	..	..	2	..	1	..	8	10.1	..
Nagapattinam . . . . .	60	51	44.2	..	..	..	..	1	..	1	14	12.1	3
Ootacamund . . . . .	48	47	50.9	..	..	..	..	2	6	..	17	18.4	5
Palani . . . . .	40	43	55.9	..	..	..	..	1	3	..	11	14.3	4
Palayamkottai . . . . .	45	41	47.4	..	..	..	1	1	4	1	28	32.4	7
Palghat . . . . .	77	57	38.5	..	..	..	2	2	5	1	17	11.5	1
Periyakulam . . . . .	34	38	58.1	..	..	..	..	1	4	..	8	12.2	1
Pollachi . . . . .	51	41	41.8	..	..	..	..	1	3	2	12	12.2	1
Pudukottai . . . . .	50	43	44.7	..	..	..	..	1	3	1	13	13.5	1
Rajapalayam . . . . .	69	38	28.6	..	..	..	1	4	2	..	11	8.3	2
Salem . . . . .	241	150	32.4	..	..	..	11	6	11	1	71	15.3	10
Srirangam . . . . .	42	23	28.5	..	..	..	..	..	2	..	10	12.4	4
Srivilliputtur . . . . .	44	35	41.4	..	..	..	2	..	1	..	16	18.9	7
Tanjore . . . . .	118	71	31.3	..	..	..	4	1	2	2	43	18.9	5
Tellicherry . . . . .	42	34	42.1	..	..	..	..	..	1	..	11	13.6	3
Tiruchtrappalli . . . . .	251	246	51.0	..	..	..	7	3	9	3	83	17.2	19
Tirunelveli . . . . .	80	68	44.2	..	..	..	..	2	8	..	30	19.5	8
Tiruppur . . . . .	63	63	52.0	..	..	..	1	3	4	2	23	19.0	6
Tiruvannamalai . . . . .	45	32	37.0	..	..	..	1	1	3	..	10	11.6	2
Tuticorin† . . . . .	43	43	52.0	..	..	..	..	..	2	1	5	6.0	1
Vaniyambadi . . . . .	124	99	41.5	..	..	..	1	2	9	..	35	14.7	8
Vellore . . . . .	43	43	52.0	..	..	..	..	..	2	1	5	6.0	1
Villupuram . . . . .	39	41	54.7	..	..	..	..	2	5	..	25	33.3	12
Virudhunagar . . . . .	53	44	43.2	..	..	..	2	2	..	..	16	15.7	4
TOTAL . . . . .	5163	4004	40.3	..	..	..	128	162	357	28	1671	16.8	408
Orissa													
Berhampur . . . . .	72	75	54.3	..	..	..	2	3	1	..	11	8.0	2
Cuttack . . . . .	117	104	46.4	..	..	..	8	..	7	..	33	14.7	7
Puri . . . . .	53	27	26.6	..	..	..	7	2	1	..	24	23.6	5
TOTAL . . . . .	242	206	44.3	.	.	.	17	5	9	..	68	14.6	14

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total Deaths); ..—Nil Information; "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 31st March, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.	Deaths from :—							Total	D.R.	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Punjab (I)													
Ambala	65	38	30.6	..	..	..	2	1	3	1	8	6.4	2
Amritsar	343	273	41.6	..	..	..	..	3	16	..	45	6.9	16
Batala	62	23	19.4	..	..	..	8	..	2	..	8	6.7	2
Bhiwani	57	32	29.4	..	..	..	5	2	3	..	13	11.9	2
Perozepore	45	11	12.8	..	..	..	2	..	..	..	2	2.3	2
Hissar	39	21	28.2	..	..	..	3	..	3	1	9	12.1	1
Hoshiarpur	51	16	16.4	..	..	..	..	..	4	..	10	10.9	6
Jullundur	200	69	18.0	..	..	..	1	1	7	..	16	4.2	2
Karnal	72	10	7.3	..	..	..	1	..	2	..	5	3.6	..
Ludhiana	176	79	23.5	..	..	..	8	..	..	..	15	4.5	6
Moga	41	20	16.9	..	..	..	1	1	..	..	2	1.7	..
Panipat	64	31	25.3	..	..	..	2	..	1	..	3	2.5	1
Pathankot	34	18	27.7	..	..	..	..	..	2	..	3	4.6	..
Rewari	36	9	13.1	..	..	..	3	..	1	..	4	5.8	1
Rohtak	105	31	15.4	..	..	..	1	..	..	..	7	3.5	3
Shimla	50	16	16.7	..	..	..	1	..	2	..	3	3.1	1
Sonapat	34	20	30.8	..	..	..	1	..	1	..	3	4.6	..
TOTAL	1,474	717	25.3	..	..	..	39	8	43	1	156	5.5	4.5
Uttar Pradesh													
Agra	375	216	30.1	..	..	..	..	1	29	..	44	6.1	11
Aligarh	349	139	20.8	..	..	..	..	1	21	..	50	7.5	16
Amroha	61	38	32.6	..	..	..	..	..	..	..	8	6.6	..
Bahraich	47	34	37.8	..	..	..	5	..	2	..	17	18.9	2
Banaras	383	251	34.3	..	2	..	74	14	22	3	205	28.0	63
Bellia	35	11	16.4	..	..	..	4	..	1	..	7	10.4	2
Banda	32	..	..	..	..	..	..	..	..	..	1	1.6	..
Bareilly	203	52	13.4	..	..	..	10	3	12	1	32	8.2	5
Bijnor	32	10	16.3	..	..	..	..	..	..	..	..	..	..
Budaun	54	14	13.5	..	..	..	2	..	1	..	8	7.7	4
Beant	..	..	..	..	..	..	..	..	..	..	..	..	..
Bulandshahr†	..	..	..	..	..	..	..	..	..	..	..	..	..
Chandauli	41	24	30.4	..	..	..	4	3	3	..	13	16.5	4
Dehra Dun	146	42	15.0	..	..	..	..	..	3	..	6	2.1	..
Btawah	64	28	22.9	..	..	..	4	1	3	..	16	13.1	4
Faizabad-Ayodhya	88	50	29.7	..	..	..	5	..	2	..	10	5.9	3
Farrukhabad-Fatehgarh	82	12	7.6	..	..	..	1	1	3	..	7	4.5	2
Ferozabad	79	40	26.5	..	..	..	3	..	1	..	7	4.6	..
Gazilabad	46	4	4.5	..	..	..	..	..	..	..	1	1.1	1
Gazipur	36	15	21.8	..	..	..	5	..	2	..	13	18.9	2
Gorakhpur	140	37	13.8	..	..	..	6	1	2	..	10	3.7	4
Gonda	35	21	31.4	..	..	..	..	..	2	..	2	3.0	..
Hapur	49	14	14.9	..	..	..	7	..	1	..	10	10.7	5
Hardwar	64	33	26.9	..	..	..	9	..	1	..	14	11.4	6
Hathras	62	48	40.5	..	..	..	4	4	4	..	16	13.5	5
Jaunpur	56	20	18.7	..	..	..	3	..	3	..	8	7.5	1
Jhansi	116	90	40.6	..	..	..	16	3	3	..	26	11.7	7
Kanpur	734	350	24.9	..	..	..	28	24	47	6	134	23.8	93
Kasganj†	..	..	..	..	..	..	..	..	..	..	..	..	..
Khurja	41	15	19.1	..	..	..	..	..	3	..	7	8.9	1
Koli-Aligarh	150	82	28.6	..	..	..	4	7	..	..	15	5.2	2
Lucknow	494	225	23.8	..	..	..	28	18	37	2	123	12.9	16
Mathura	110	51	24.2	..	..	..	2	..	6	..	10	4.7	3
Mau-Nath.Bhanjan†	..	..	..	..	..	..	..	..	..	..	..	..	..
Meerut	185	66	18.6	..	..	..	2	..	9	..	18	5.1	3
Mirzapur	..	..	..	..	..	..	..	..	..	..	..	..	..
Vaithyachal	97	29	15.6	..	1	..	2	..	3	..	15	8.1	3

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil Information.



Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 31st March, 1956—*contd.*

Death from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	DD.	R.D.	M.D.	Total	D.R.*	I.D.
<b>Uttar Pradesh</b>													
Moradabad	164	90	28.7	..	..	..	3	3	17	..	32	19.2	10
Muzaffarnagar	74	31	21.9	..	..	..	10	..	..	..	11	7.8	5
Pilibhit	45	40	46.5	..	..	..	5	..	1	..	10	11.6	2
Rampur†													
Aharonpur	162	88	28.4	..	..	..	25	..	..	..	27	8.7	6
Bambhal	65	19	15.3	..	..	..	2	3	10	..	16	12.9	6
Shahjahanpur	99	33	13.5	..	..	..	1	..	5	..	13	5.3	5
Sitapur	49	29	36.8	..	..	..	1	..	1	..	4	4.1	2
TOTAL	5,144	2,391	24.2	..	3	..	375	80	266	12	1,165	11.8	368
<b>West Bengal</b>													
Asansol†													
Baidyabati†													
Bally	66	8	6.3	..	..	..	..	..	..	..	1	0.8	..
Bankura	50	3	3.1	..	..	..	..	..	..	..	..	..	..
Bansberia†													
Baranagar	90	23	13.4	..	..	..	1	3	2	..	14	8.1	4
Basirhat	39	4	5.4	..	..	..	..	..	..	..	..	..	..
Berhampur	64	54	44.1	..	..	..	4	2	1	..	21	17.2	6
Bhadreshwar	34	9	13.8	..	..	..	..	..	1	..	1	1.5	..
Bhatpara	143	26	9.5	1	..	..	7	3	3	1	23	8.4	6
Budge-Budge	32	15	24.5	..	..	..	1	3	..	..	5	8.2	..
Burdwan	82	32	20.4	..	..	..	1	1	5	..	20	12.8	..
Gulcutta	2984	1230	21.5	10	5	..	37	56	139	4	634	11.1	19
Campdani	41	5	6.4	..	..	..	..	..	1	..	3	3.8	..3
Cooch Behar†													
Darjeeling†													
English-Bazar	36	..	..	..	1	..	..	..	..	..	1	1.5	..
Garden Reach	124	..	..	2	..	..	3	..	3	..	14	5.9	4
Halisahar†													
Hugly-Chinsurah	60	69	59.8	..	..	..	3	..	1	..	13	11.3	5
Howrah	477	113	12.4	4	1	..	9	22	31	1	133	14.6	47
Jalpaiguri	49	26	27.7	..	..	..	..	..	..	..	9	9.6	..
Kamarhati†													
Manchropera	74	15	10.6	..	..	..	..	..	..	..	..	..	..
Krishnagar	56	2	1.9	..	..	..	..	..	1	..	2	1.9	..
Midnapore	45	26	30.2	..	..	..	1	..	..	..	10	11.6	..
Nabadwip	70	26	19.4	17	..	..	5	2	1	..	26	19.4	..
Naihati	62	..	..	..	..	..	..	..	..	..	..	..	..
North Barrackpore	36	4	5.8	..	..	..	1	..	..	..	3	4.4	..
Ranihati†													
Shantipur	49	16	17.1	..	..	..	..	..	..	..	1	1.1	..
Serampore	83	31	19.5	..	..	..	4	2	3	..	18	11.3	3
Siliguri	44	..	..	..	..	..	1	..	..	..	2	2.4	..
South Dum Dum	83	2	1.3	..	..	..	..	..	..	..	..	..	..
South Suburban	124	6	2.5	1	..	..	1	3	2	..	17	7.2	10
Titagarh	78	11	7.4	..	..	..	14	..	1	1	16	16.7	1
TOTAL	5,175	1,756	17.6	35	7	..	93	97	195	7	987	9.9	279

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used: B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 31st March, 1956—contd.

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	Deaths from :—				Total	D.R.*	I.D.
								D.D.	R.D.	M.D.				
STATES—(Part B)														
Jammu & Kashmir														
"N. R."														
Madhya Bharat														
"N.R."														
Mysore														
Bangalore	977	589	31.3	..	..	..	6	46	81	..	248	13.2	..	..
Mysore	294	110	19.5	..	..	..	15	6	3	..	67	11.9	..	..
Kolar Gold Fields	173	58	17.4	..	..	..	2	5	8	..	38	11.4	..	..
Bhadravathi	55	11	10.4	..	..	..	1	..	..	..	2	1.9	..	..
Davanagere	69	32	24.1	..	..	..	3	..	..	..	10	7.5	..	..
Hospet	45	60	69.3	..	..	..	1	..	5	..	11	12.7	..	..
TOTAL	1,613	860	27.7	..	..	..	28	56	97	..	376	12.1	..	..
PEPSU														
Patiala City	111	28	13.1	..	..	..	5	1	5	..	26	12.2	8	..
Malerkotla	34	15	22.9	..	..	..	6	..	..	..	9	13.8	1	..
Bhatinda	39	13	17.3	..	..	..	1	..	1	..	3	4.0	1	..
TOTAL	184	56	15.8	..	..	..	12	1	6	..	38	10.7	10	..
Rajasthan														
Alwar	60	..	..	..	..	..	1	..	1	..	2	1.7	..	..
Jharsatpur	38	4	5.5	..	..	..	..	..	..	..	..	..	..	..
Bikaner	117	40	17.8	..	5	..	2	1	5	1	22	9.7	2	..
Churu	48	..	..	..	..	..	1	..	..	..	1	1.1	..	..
Ganganagar	47	1	1.1	..	6	..	3	..	2	..	12	13.2	..	..
Tonk	45	2	2.3	..	..	..	..	..	..	..	1	1.2	1	..
Kotah	72	20	14.4	..	..	..	4	..	1	1	11	7.9	..	..
Sikar	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Jaipur	353	26	3.8	..	..	..	20	5	22	1	58	8.5	14	..
Udaipur	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Jodhpur	..	..	..	..	..	..	..	..	..	..	..	..	..	..
TOTAL	780	93	6.2	..	11	..	31	6	31	3	107	7.1	17	..
Travancore-Cochin														
Alleppey	148	42	14.8	..	..	..	..	..	..	..	3	1.1	..	..
Changanacherry	41	62	78.6	..	..	..	6	..	2	..	16	20.3	..	..
Ernakulam	70	32	23.8	..	..	..	3	..	..	..	11	8.3	1	..
Kottayam	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Mattancherry	85	24	14.4	..	..	..	1	..	..	..	7	4.3	..	..
Nagercoil	94	22	12.2	..	..	..	3	2	..	..	9	5.0	1	..
Quilon	75	34	23.6	..	..	..	2	..	1	..	16	11.1	..	..
Thirur	76	32	21.9	..	..	..	1	..	..	1	7	4.8	1	..
Trivandrum City	218	188	44.8	..	..	..	..	1	1	..	16	3.8	..	..
TOTAL	807	436	22.1	..	..	..	16	3	4	1	85	5.5	3	..
Saurashtra														
Bhavnagar	157	38	12.6	..	..	..	5	3	..	..	33	10.9	5	..
Dhoraji	46	26	28.8	..	..	..	3	2	..	..	13	14.4	..	..
Gondal	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Jamnagar	122	89	37.9	..	..	..	7	..	2	..	19	8.1	4	..
Junagadh	65	37	29.6	..	..	..	17	1	4	..	30	24.0	9	..
Morvi	43	17	20.6	..	..	..	2	..	..	..	2	2.4	2	..
Porbandar	64	24	19.5	..	..	..	9	1	..	..	21	17.1	..	..
Rajkot	167	66	20.5	..	..	..	16	3	6	..	50	15.6	16	..
Surendranagar	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Veraval	46	6	6.8	..	..	..	1	1	1	..	4	4.5	..	..
TOTAL	710	303	22.2	..	..	..	60	10	13	..	172	12.6	36	..
Hyderabad														
"N.R."														

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information. "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 31st March, 1956—*contd.*

Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<b>ARREAR RETURNS</b>													
<b>Bombay</b>													
<i>For w/e 10-3-56</i>													
Ahmedabad	889	594	34.6	..	6	..	27	12	84	..	304	17.8	115
Ahmednagar	88	35	20.6	..	..	..	2	..	5	..	20	11.8	..
Amalner	50	32	33.2	..	..	..	5	..	1	..	14	14.5	1
Bagalkot	36	28	40.4	..	..	..	..	..	1	..	4	5.8	1
Baroda	242	168	36.0	..	..	..	16	2	11	..	61	13.7	16
Barsi	46	31	35.0	..	..	..	4	..	1	..	14	15.8	4
Belgaum	110	41	19.4	..	..	..	3	1	1	..	28	13.2	7
Bhusawal	62	19	15.9	..	..	..	2	..	1	..	6	5.0	2
Bijapur	75	25	17.3	..	..	..	..	..	3	..	9	6.2	..
Broach	67	60	46.5	..	..	..	7	..	2	2	19	14.7	3
Cambay	41	39	49.5	..	..	..	..	1	3	..	12	3.6	3
Chalisgaon	35	22	32.7	..	..	..	4	..	2	..	7	10.4	2
Dharwar	76	45	30.8	..	..	..	1	..	..	..	17	11.6	4
Dhulia †	71	43	31.4	..	..	..	4	..	6	2	27	19.8	..
Gadag-Betegeri	71	43	31.4	..	..	..	4	..	6	2	27	19.8	..
Godhra	40	24	31.2	..	..	..	2	..	2	..	6	7.8	1
Greater Bombay	3,449	1,287	19.4	..	1	..	7	26	111	1	654	9.9	153
Hubli	148	43	15.1	..	..	..	1	..	..	2	20	7.0	1
Jalgaon	79	29	13.2	..	..	..	4	..	3	..	12	7.9	4
Kalyan	73	19	13.5	..	..	..	3	..	..	..	9	6.4	..
Kolhapur	159	55	18.0	..	..	..	3	..	11	..	30	9.8	5
Malegaon	63	32	26.4	..	..	..	6	..	..	..	10	8.2	1
Miraj	44	14	16.5	..	..	..	..	1	..	2	8	9.5	..
Nadiad	71	39	28.5	..	..	..	8	..	2	..	16	11.7	4
Nandurbar	35	19	28.2	..	..	..	2	1	1	..	7	10.4	1
Nasik	119	62	27.1	..	..	..	4	2	6	..	30	13.1	8
Navasari	59	30	31.2	..	..	..	7	..	..	..	11	11.4	3
Pandharpur	44	25	29.5	..	..	..	2	1	7	..	15	17.7	4
Patan	47	28	31.0	..	..	..	3	1	3	..	12	13.3	2
Poonat	..	..	..	..	..	..	..	..	..	..	..	..	..
Sangli	58	37	33.2	..	..	..	2	1	2	..	12	10.8	4
Satara	40	17	22.1	..	..	..	..	..	6	..	14	18.2	2
Sholapur	299	229	40.0	..	1	..	25	4	36	..	115	20.0	25
Surat	250	175	36.4	..	5	..	22	1	25	..	119	24.8	38
Thana†	..	..	..	..	..	..	..	..	..	..	..	..	..
<b>TOTAL</b>	<b>6,956</b>	<b>3,337</b>	<b>24.9</b>	..	<b>13</b>	..	<b>176</b>	<b>54</b>	<b>336</b>	<b>9</b>	<b>1,645</b>	<b>12.3</b>	<b>314</b>
<i>For w/e 17-3-56</i>													
<b>Bombay</b>													
Ahmedabad	889	615	43.1	..	12	..	40	17	113	..	407	28.5	106
Ahmednagar	88	60	35.9	..	..	..	1	1	3	..	20	11.8	..
Amalner	50	30	31.2	..	..	..	2	..	2	..	5	5.2	..
Bagalkot	36	28	40.4	..	..	..	..	..	..	..	5	7.2	..
Baroda	242	209	44.9	..	..	..	15	1	16	1	74	15.9	15
Barsi†	..	..	..	..	..	..	..	..	..	..	..	..	..
Belgaum	110	32	15.1	..	..	..	1	2	3	2	18	8.5	3
Bhusawal	62	32	26.8	..	..	..	6	..	4	..	18	15.1	1
Bijapur	75	35	24.3	..	..	..	3	..	2	..	7	4.8	..
Broach	67	53	41.1	1	..	..	5	..	3	1	16	12.4	..
Cambay†	..	..	..	..	..	..	..	..	..	..	..	..	..
Chalisgaon	35	35	52.0	..	..	..	4	..	1	..	5	7.4	..
Dharwar	76	42	28.8	..	..	..	3	..	..	..	17	11.6	1
Dhulia	89	49	28.6	..	..	..	1	..	5	..	12	7.0	..
Gadag Betegeri	71	54	39.6	..	..	..	4	..	5	3	25	18.4	..

\* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 31st March, 1956—*continued*.

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
<b>Bombay</b>													
Godra	40	43	55.9	..	..	..	6	..	4	..	14	18.2	1
Greater Bombay	3,449	1,337	20.2	..	..	..	4	19	135	1	654	9.9	139
Hubli	148	53	18.6	..	..	..	2	..	6	..	22	7.7	3
Jalgaon	79	24	15.5	..	..	..	2	1	3	..	13	8.5	..
Kalyan	73	30	21.4	..	..	..	..	..	4	..	10	7.1	..
Kolhapur	159	101	33.0	..	..	..	1	..	8	1	36	11.8	4
Malagaon	63	39	27.8	..	..	..	—	1	5	..	6	4.3	2
Miraj†	71	49	35.8	..	..	..	17	..	2	—	28	21.4	7
Nadlad	35	17	25.3	..	..	—	1	—	1	1	7	15.4	2
Nandurbar	119	70	30.6	..	..	..	8	3	3	..	44	19.2	..
Nasik	50	50	52.0	..	..	..	6	..	..	5	11	11.4	2
Navasari	44	29	34.3	..	..	..	2	2	3	..	14	16.5	5
Pandharpur	47	31	34.3	..	2	..	7	..	4	..	16	17.7	5
Patan	607	248	21.2	..	..	..	4	5	25	..	107	9.2	16
Poona	58	22	19.7	..	..	..	3	2	1	..	19	17.0	4
Sangli	40	23	29.0	..	..	..	2	..	..	..	9	11.7	1
Satara	299	263	45.7	..	1	..	13	2	30	..	91	15.8	26
Sholapur	250	186	38.7	..	17	..	28	..	32	2	136	28.3	49
Surat	61	19	16.2	..	..	..	3	..	—	..	9	7.5	1
Thana	61	19	16.2	..	..	..	3	..	—	..	9	7.5	1
<b>TOTAL</b>	<b>7,582</b>	<b>3,908</b>	<b>26.8</b>	<b>1</b>	<b>32</b>	<b>..</b>	<b>194</b>	<b>56</b>	<b>423</b>	<b>17</b>	<b>1,875</b>	<b>12.9</b>	<b>393</b>
<b>Bhopal</b>													
Bhopal city	116	89	39.9	..	For w/e 24-3-56			..	2	—	6	2.7	—
					1	..	..	..	..	..	..	..	..
<b>Punjab</b>													
					For w/e 24-3-56								
Moga	41	22	28.1	..	..	..	..	—	3	—	6	7.7	2
Ambala	65	58	46.7	..	..	..	1	2	3	—	10	8.0	4
Buttala	62	42	35.4	..	..	..	2	..	1	—	8	6.7	4
Pathankot	34	26	40.0	..	..	..	1	1	2	—	6	9.2	3

\*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

## REMARKS

The figures of births and deaths shown in this statement for week ending the 31st March, 1956, relate to 191 towns with an estimated population of 25,091 thousands. The total number of towns is 317 and their population is 41,516 thousands. Thus 60% of the total number of towns representing 60% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 12,881 and 5,593 representing birth and death rates of 26.7 and 11.6 per thousand of population respectively.

(a) *States (Part A and C).*—The data here relate to 158 towns with an estimated population of 20,997 thousands. Information about Bihar, Bombay, and Madhya Pradesh could not be included. The total number of towns is 252 and their population is 33,432 thousands. Thus 63% of the total number of towns representing 63% of the total population is covered.

The number of births and deaths recorded in these towns were 11,133 and 4,815 representing birth rates and death rates of 27.6 and 11.9 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B).*—The data here relate to 33 towns with an estimated population of 4,094 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 51% of the total number of towns representing 51% of the total population is covered. The number of births and deaths recorded in these towns were 1,748 and 778 representing birth and death rates of 22.2 and 9.9 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 31-3-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer . .	16.8	7.0	†	†	27.8	18.7
Andhra . .	38.7	18.0	32.1	14.0	†	†
Delhi . .	22.0	4.9	20.3	8.2	24.3	9.7
Madras . .	40.3	16.8	45.0	18.4	†	†
Orissa . .	44.3	14.6	34.3	12.2	36.8	18.4
Punjab (I) . .	25.3	5.5	26.1	18.4	27.2	9.4
Uttar Pradesh . .	24.2	11.8	24.4	14.2	27.6	15.9
West Bengal . .	17.6	9.9	14.7	9.2	15.9	10.6
India* . .	27.6	11.9	30.9	13.8	30.4	16.2

\*6 Part "A" States and 2 Part "C" States.

† Figures not available.

NEW DELHI-2 (INDIA) :

The 23rd April, 1956

K. MITRA,  
for Registrar General, India.

